



NRAQ7.E102542 Programmable Controllers Certified for Canada

If you notice a change to your **NRAQ7 Listing Card**, click [here](#) to learn more.

[Page Bottom](#)

Programmable Controllers Certified for Canada

[See General Information for Programmable Controllers Certified for Canada](#)

IDEC CORP

E102542

6-64 NISHIMIYAHARA 2-CHOME
YODOGAWA-KU, OSAKA 532-0004 JAPAN

Investigated to CAN/CSA C22.2 No. 142

2-ch controller modules, open type Model(s) FC5A-F2M2, FC5A-F2MR2

Accessories, battery cards Model(s) FL1E-PM4

Accessories, combined memory/battery cards Model(s) FL1E-PB1

Accessory, memory cards Model(s) FL1E-PG1

Analog output units Model(s) FC4A-K4A1

CC teach pendants Model(s) HG2R-S, HG2S-S, or HG2V-D, followed by S or B, followed by 32 or 62, followed by BH, YH or ZH, followed by A, S or MK, followed by additional numbers and/or letters.

Compact mobile pendants Model(s) HG1H-S, followed by A or B, followed by 11 or 12, followed by B, C or J, followed by EH or H, may be followed by -MK may be followed by up to seven suffix letters and/or numbers and may employ hyphens in various locations, may be followed by ?S1 or A1 through ?S20 or ?A20.

HG1T-S, followed by A, B, G or H, followed by 12 or 32, followed by BH, JH, CH, UH, WH, may be followed by ?MK, may be followed by up to seven suffix letters and/or numbers and may employ hyphens in various locations, may be followed by L1 or A1 through L20 or A20.

FC3A Series AC input modules Model(s) FC3A-N08A11, FC3A-N08A13

FC3A Series analog input 6-channel modules Model(s) FC3A-AD1261

FC3A Series analog output 2-channel modules Model(s) FC3A-DA1221

FC3A Series direct current input modules Model(s) FC3A-N16B1, FC3A-N16B3, FC3A-N16B6, FC3A-N32B4, FC3A-N32B5, FC3A-N32B6

FC3A Series expansion modules Model(s) FC3A-EA1

FC3A Series network interface modules Model(s) FC3A-SX5DS1, FC3A-SX5LS1, FC3A-SX5SS1

FC3A Series power supply input central processing unit modules Model(s) FC3A-CP1K, FC3A-CP1KM, FC3A-CP1S, FC3A-CP1SM, FC3A-CP2K, FC3A-CP2KM, FC3A-CP2S, FC3A-CP2SM

FC3A Series relay output modules Model(s) FC3A -R162, FC3A-R161

FC3A Series remote I/O master modules Model(s) FC3A-SX5SM1

FC3A Series transistor sink output modules Model(s) FC3A-T16K1, FC3A-T16K3, FC3A-T16K6, FC3A-T32K4, FC3A-T32K5, FC3A-T32K6

FC6A Series CPU modules Model(s) FC6A-M16P1, FC6A-M16P1E, FC6A-M16P4E, FC6A-M16R1, FC6A-M16R1E, FC6A-M16R4, FC6A-M16R4E, FC6A-M32P3, FC6A-M32P3E

FC6A Series I/O mixture moduels Model(s) FC6A-M24BR1, FC6A-M24BR4

FC6A Series I/O mixture modules Model(s) FC6A-M08BR4, FC6A-TYS4

FC6A Series I/O mixture modules Model(s) FC6A-M08BR1

FC6A Series input modules Model(s) FC6A-N08A11, FC6A-N08A14, FC6A-N08B1, FC6A-N08B4, FC6A-N16B1, FC6A-N16B3, FC6A-N16B4, FC6A-N32B3

FC6A Series output modules Model(s) FC6A-R081, FC6A-R084, FC6A-R161, FC6A-R164, FC6A-T08K1, FC6A-T08K4, FC6A-T08P1, FC6A-T08P4, FC6A-T16K1, FC6A-T16K3, FC6A-T16K4, FC6A-T16P1, FC6A-T16P3, FC6A-T16P4, FC6A-T32K3, FC6A-T32P3

FC6A Sieres CPU modules Model(s) FC6A-M16P4

Open type, Programmable controllers, "FC6A Series Analag Modules" Model(s) FC6A-J2C1, -J2C4, -J4A1, -J4A4, -J8A1, -J8A4, -K2A1, -K2A4, -K4A1, -K4A4, -L06A1, -L06A4, -L03CN1, -L03CN4, -J4CN1, -J4CN4, -J4CH1Y, -J4CH4Y, -J8CU1, -J8CU4, -F2MR1, -F2MR4, -F2M1, -F2M4

Open type, Programmable controllers, "FC6A Series CPU Modules" Model(s) FC6A-C16K1C, -C16K1CE, -C24K1C, -C24K1CE, -C40K1C, and -C40K1CE.

FC6A-C16R1A, -C16R1AE, -C16R1CE, -C24R1A, -C24R1AE, -C24R1CE, -C40R1A, -C40R1AE, -C40R1CE, -C40R1DE, -C16P1C, -C16P1CE, -C24P1C, -C24P1CE, -C16P1C-2, -C16P1CE-2, -C40P1C, -C40P1CE, -C40P1DE, -C16K1C, -C16K1CE, -C24K1C, -C24K1CE, -C40K1C, -C40K1CE, -C40K1DE.

Open type, Programmable controllers, "FC6A Series CPU Modules Brick CAN bus types" Model(s) FC6A-C40R1AEJ, -C40R1CEJ, -C40R1DEJ, -C40P1CEJ, -C40P1DEJ, -C40K1CEJ, -C40K1DEJ.

Open type, Programmable controllers, "FC6A Series Option Modules" Model(s) FC6A-PJ2A, -PJ2CP, -PK2AV, -PK2AW, -PC1, -PC2, -PC3, -PC4

Open type, Programmable controllers, "FC6B Series CPU Modules Brick Low-end Types" Model(s) FC6B-C16K1C, -C24K1C, -C40K1C, FC6B-C16P1C, FC6B-C16R1A, FC6B-C16R1C, FC6B-C24P1C, FC6B-C24R1A, FC6B-C24R1C, FC6B-C40P1C, FC6B-C40R1A, FC6B-C40R1C

Open type, Programmable controllers, "HG1G Series" Model(s) HG1G-4VT22TF-B, HG1G-4VT22TF-S, HG1G-4VT22TF-W, HG1G-4VT22TG-B, HG1G-4VT22TG-S, HG1G-4VT22TG-W, HG1G-4VT22TH-B, HG1G-4VT22TH-S, HG1G-4VT22TH-W, HG1G-4VT22TJ-B, HG1G-4VT22TJ-S, HG1G-4VT22TJ-W

Open type, Programmable controllers, "HMI Module" Model(s) FC6A-PH1

Open type, Programmable controllers Model(s) FL1F-B12RCA, FL1F-B12RCC, FL1F-B12RCE, FL1F-H12RCC, FL1F-H12RCE, FL1F-J2BR2, FL1F-K2BM2, FL1F-M08B1S, FL1F-M08B1S2, FL1F-M08B2R2, FL1F-RD1

Open type, Programmable controllers Model(s) FL1F-H12RCA, FL1F-J2B2, FL1F-M08C2R2, FL1F-M08D2R2

Programmable controllers, "AS-1 Gateway Series" Model(s) SX5A-GM1N

Programmable controllers Model(s) FL1B-CL1C12, FT1A-C12RA-B, FT1A-C12RA-S, FT1A-C12RA-W, FT1A-C14KA-B, FT1A-C14KA-S, FT1A-C14KA-W, FT1A-C14SA-B, FT1A-C14SA-S, FT1A-C14SA-W, FT1A-M12RA-B, FT1A-M12RA-S, FT1A-M12RA-W, FT1A-M14KA-B, FT1A-M14KA-S, FT1A-M14KA-W, FT1A-M14SA-B, FT1A-M14SA-S, FT1A-M14SA-W

HG1U-S, followed by A or B, followed by 11 or 12, followed by BH, CH, JH, UH or WH, may be followed by -MK, may be followed by up to seven suffix letters and/or numbers and may employ hyphens in various locations, may be followed by ?S1 or A1 through ?S20 or ?A20.

Programmable controllers, "AS-1 Gateway Series" Model(s) SX5A-GD1N

Programmable controllers, CPU modules, "FT1A Series" Model(s) FT1A-B12RA, FT1A-B12RC, FT1A-B24RA, FT1A-B24RC, FT1A-B40RC, FT1A-B40RKA, FT1A-B40RSA, FT1A-B48KA, FT1A-B48KC, FT1A-B48SA, FT1A-B48SC

Programmable Controllers, CPU modules, "FT1A Series" Model(s) FT1A-C14KA, FT1A-C14SA

Programmable controllers, CPU modules, "FT1A Series" Model(s) FT1A-H12RA, FT1A-H12RC, FT1A-H24RA, FT1A-H24RC, FT1A-H40RC, FT1A-H40RKA, FT1A-H40RSA, FT1A-H48KA, FT1A-H48KC, FT1A-H48SA, FT1A-H48SC

Programmable Controllers, CPU modules, "FT1A Series" Model(s) FT1A-M14KA, FT1A-M14SA

Programmable controllers, CPU units Model(s) FC5A-D12K1E, may be followed by DS0838, FC5A-D12S1E, may be followed by DS0838

Programmable controllers, open type Model(s) FL1A-B10RCA, FL1A-B10RCB, FL1A-B12RCE, FL1A-H10RCA, FL1A-H10RCB, FL1A-H12RCE, FL1A-H12SND, FL1B-B12RCA, FL1B-B12RCC, FL1B-B12RCE, FL1B-H12RCA, FL1B-H12RCC, FL1B-H12RCE, FL1B-H12SND, FL1B-J2B2, FL1B-M08B1S2, FL1B-M08B2R2, FL1B-M08C2R2, FL1B-M08D2R2, FL1D-B12RCA, FL1D-B12RCC, FL1D-B12RCE, FL1D-H12RCA, FL1D-H12RCC, FL1D-H12RCE, FL1D-H12SND, FL1D-K2B2, FL1D-K2BM2, FL1E-B12RCA, FL1E-B12RCE, FL1E-B12RCE, FL1E-H12RCA, FL1E-H12RCC, FL1E-H12RCE, FL1E-H12SND, FL1E-RD1, SX5D-SBM16K, SX5D-SBM16P, SX5D-SBM16S, SX5D-SBN16K, SX5D-SBN16P, SX5D-SBN16S, SX5D-SBR08, SX5D-SBT16K, SX5D-SBT16P, SX5D-SBT16S, SX5L-SBM16K, SX5L-SBM16P, SX5L-SBM16S, SX5L-SBN16K, SX5L-SBN16P, SX5L-SBN16S, SX5L-SBR08, SX5L-SBT16K, SX5L-SBT16P, SX5L-SBT16S, SX5S-SBM16K, SX5S-SBM16P, SX5S-SBM16S, SX5S-SBN16K, SX5S-SBN16P, SX5S-SBN16S, SX5S-SBR08, SX5S-SBT16K, SX5S-SBT16P, SX5S-SBT16S

Programmable display operator interfaces, 10.4 inch type, "HG3G Series" Model(s) HG3G-AJT22MF-B, HG3G-AJT22MF-W, HG3G-AJT22TF-B, HG3G-AJT22TF-W

Programmable display operator interfaces, 12.1 inch type, "HG4G Series" Model(s) HG4G-CJT22MF-B, HG4G-CJT22TF-B

Programmable display operator interfaces, 5.7 inch type, "HG2G Series" Model(s) HG2G-5FT22TF-B, HG2G-5FT22TF-S, HG2G-5FT22TF-W, HG2G-5ST22TF-B, HG2G-5ST22TF-S, HG2G-5ST22TF-W, HG2G-5ST22VF-B, HG2G-5ST22VF-S, HG2G-5ST22VF-W

Programmable display operator interfaces, 8.4 inch type, "HG3G Series" Model(s) HG3G-8JT22MF-B, HG3G-8JT22MF-W, HG3G-8JT22TF-B, HG3G-8JT22TF-W

Safety controllers, open type Model(s) FS1A*

Investigated to CAN/CSA C22.2 No. 61010-1, 3rd Edition and CAN/CSA C22.2 No. 61010-2-201:14

Open type Cartridge Base Module Model(s) FC6A-HPH1

Open type Communication Module Model(s) FC6A-SIF52

Open type CPU Modules Book Model(s) FC6A-D16K1CEE, FC6A-D16P1CEE, FC6A-D16R1CEE, FC6A-D32K3CEE, FC6A-D32P3CEE

Open type CPU Modules Book Low-end Model(s) FC6B-D16K1C, FC6B-D16P1C, FC6B-D16R1C, FC6B-D32K3C, FC6B-D32P3C

Open type Expansion Interface Module Model(s) FC6A-EXM1M, FC6A-EXM1S

Open type Option Modules Model(s) FC6A-PC4, FC6A-PC99, FC6A-PN4, FC6A-PTK4, FC6A-PTS4

* - May be followed by any letter(s) and/or number(s).

Trademark and/or Tradename:  ,  ,  ,  ,  ,  ,  ,
IDEC

Last Updated on 2017-10-11

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".